

# MOLECULAR WATER FILTER RO6 SLIM BOX

Reverse osmosis filtration system with three-stage prefiltration and three stage postfiltration which provides the user with pristine-pure healthy drinking water.

## TECHNICAL SPECIFICATION

PARAMETER	VALUE
Dimensions	43 x 33 x 12 cm
Maximum TDS	1500 ppm
Max chlorine concentration	0,3 ppm
pH range of feed water	2 - 11
Efficiency	75 GDP
Operating pressure	2,2- 6 bar
Operating temperature	2 - 38 °C
Compound rejection, reduction of TDS (RO water)	> 95 %
Includes:	<ul style="list-style-type: none"><li>▪ In-line Sediment Cartridge 2" [AC-IL-PP]</li><li>▪ In-line Granular Carbon Cartridge 2" [AC-IL-GAC]</li><li>▪ In-line Sediment Cartridge 2" [AC-IL-PP]</li><li>▪ RO Membrane [AC-OM-75]</li><li>▪ In-line Granular Carbon Cartridge [AC-IL-GAC]</li><li>▪ In-line Mineraliser Cartridge [AC-IL-MIN]</li><li>▪ Double Ceramic Faucet For RO [AP-CF-2-1H]</li><li>▪ Plastic Tank 12L [AT-P-12]</li></ul>
Functions	<ul style="list-style-type: none"><li>▪ efficiently reduces unpleasant taste and odour,</li><li>▪ removes mechanical impurities,</li><li>▪ removes most contaminants including lead, fluorides, chlorine, pesticides, detergents, phenols and more,</li><li>▪ removes up to 95% of dissolved salts.</li></ul>